NEW BLOOM LABS

Certificate of Analysis

Twin Cities Botanicals
3712 E Lake St
Minneapolis, MN 55406
oscarcozza@twincitiesbotanicals.com
612-261-5086

Sample: 07-15-2024-52156
Sample Received:07/15/2024;
Report Created: 07/17/2024; Expires: 07/17/2025

"Creme de Cannabis"
Ingestible , Beverage

0.008 % Total THC	0.008 % Δ-9 THC
0.011 % Total Cannabinoids	ND % Total CBD

Cannabinoids

Complete

(Testing Method:HPLC, CON-P-3000)
Date Tested: 07/15/2024

Analyte	LOD %	LOQ %	Mass %	Mass mg/g
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0001	0.0002	**0.003**	**0.032**
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0001	0.0002	**0.008**	**0.077**
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0001	0.0002	<LOQ	<LOQ
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.0001	0.0002	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0001	0.0002	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0001	0.0002	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0001	0.0002	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0001	0.0002	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.0001	0.0002	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.0001	0.0002	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.0001	0.0002	ND	ND
Cannabidivarin (CBDV)	0.0001	0.0002	ND	ND
Cannabidivarinic Acid (CBDVA)	0.0001	0.0002	ND	ND
Cannabidiol (CBD)	0.0001	0.0002	ND	ND
Cannabidiolic Acid (CBDA)	0.0001	0.0002	ND	ND
Cannabigerol (CBG)	0.0001	0.0002	ND	ND
Cannabigerolic Acid (CBGA)	0.0001	0.0002	ND	ND
Cannabinol (CBN)	0.0001	0.0002	**0.001**	**0.006**
Cannabinolic Acid (CBNA)	0.0001	0.0002	ND	ND
Cannabichromene (CBC)	0.0001	0.0002	ND	ND
Cannabichromenic Acid (CBCA)	0.0001	0.0002	ND	ND
Total			**0.011**	**0.115**

Total THC = THCa * 0.877 + Δ9-THC;Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%
Total CBD Measurement of Uncertainty: ± 2.000%
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

NEW BLOOM LABS
New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

Ashley N. Phillips, M. Sc
Laboratory Director